

	Document Scope: Hospital-wide Patient Care	
	Document Type: Clinical Practice Guideline Approved on 2019-04-30 Next Review Date: 2021-04-29	
	Acute Painful Episodes Vaso-occlusive Crisis : Guidelines for Management in Children with Sickle Cell Disease	Version: 4

Introduction

The cause of vaso-occlusive crisis (VOC) is believed to be ischemic tissue injury from the obstruction of blood flow by sickled erythrocytes. Reduced blood flow causes hypoxia and acidosis. This further increases the sickling process, leading to further hypoxia and acidosis—a cycle that eventually leads to ischemic tissue injury. Each VOC varies in intensity and duration. Infection, fever, acidosis, hypoxia, dehydration, sleep apnea, and exposure to extremes of heat and cold can precipitate crises. Often, no cause is identified.

Painful VOC is the most frequent complication of Sickle Cell Disease. Common sites of pain include bone (extremities, dactylitis or hand/foot syndrome, back) and abdominal pain. Bone pain, the most common type of VOC, may or may not be accompanied by swelling, low-grade fever, redness, and warmth. It may be symmetrical, asymmetrical, or migratory. Dactylitis is a common presentation in infants and toddlers; back and abdominal pain are more common in older children. Abdominal pain in children with sickle cell disease is usually a simple VOC, but other diagnoses may present similarly (splenic sequestration, liver sequestration, appendicitis, pancreatitis, biliary colic and cholecystitis, urinary tract infection, pelvic inflammatory disease, etc.) and should be ruled out. In addition, pneumonia and chest crisis may present as, or accompany abdominal pain. During a severe painful crisis, a patient may also develop an acute chest syndrome, or a CNS event.


Pain should be treated early and aggressively. No laboratory features are pathognomonic of VOC; diagnosis is based strictly on the history and physical examination. When treating a painful crisis, the Healthcare Provider needs to be aware that concurrent illnesses such as an acute sequestration, priapism, aplastic episode, or fever/sepsis (see other protocols) may also occur, which must be dealt with concurrently.

This clinical practice guideline has been developed for the management of sickle cell patients with an acute painful episode who present to the emergency department and/or inpatient units.

	Document Scope: Hospital-wide Patient Care
	Document Type: Clinical Practice Guideline Approved on 2019-04-30 Next Review Date: 2021-04-29
	Version: 4

Acute Painful Episodes Vaso-occlusive Crisis : Guidelines for Management in Children with Sickle Cell Disease

Clinical Practice Recommendations for Management of Vaso-occlusive Crisis



PRINTABLE VERSION

© 2012 The Hospital for Sick Children ('SickKids'). All Rights Reserved. This document may be reproduced or used strictly for non-commercial clinical purposes. However, by permitting such use, SickKids does not grant any broader license or waive any of its exclusive rights under copyright or otherwise at law; in particular, this document may not be used for publication without appropriate acknowledgement to SickKids. This Clinical Practice Guideline has been developed to guide the practice of clinicians at the Hospital for Sick Children. Use of this guideline in any setting must be subject to the clinical judgment of those responsible for providing care. SickKids does not accept responsibility for the application of this guideline outside SickKids.

	Document Scope: Hospital-wide Patient Care
	Document Type: Clinical Practice Guideline Approved on 2019-04-30 Next Review Date: 2021-04-29
	Acute Painful Episodes Vaso-occlusive Crisis : Guidelines for Management in Children with Sickle Cell Disease

Guideline Group and Reviewers

Original Guideline (2007)

1. Manuel D. Carcao, MD, Haematologist
2. Dawn Cook, RN, CPNP
3. Upton Allen, MD, Chief, Division of Infectious Diseases
4. Jeremy Friedman, MD, Head, Division of Paediatric Medicine
5. Nadya Chorostil, BSc Phm, Staff Pharmacist
6. Ron Grant, MD Staff Physician

Revised (2011)

1. Melanie Kirby, MD, Staff Physician, Division of Haematology/Oncology
2. Jeremy Friedman, MD, Head, Division of Paediatric Medicine
3. Isaac Odame, MD, Staff Haematologist
4. Upton Allen, MD Chief, Division of Infectious Diseases
5. Dennis Scolnick MD, Staff Physician, Division of Emergency Medicine
6. Lori Palozzi RN, NP Nurse Practitioner Acute Pain Service

Revised (2015) – Listed alphabetically

1. Carolyn Beck, MD, Staff Paediatrician, Division of Paediatric Medicine
2. Fiona Campbell, MD, Staff Anesthesiologist
3. Melina Cheong, RN, Nurse Practitioner, Division of Haematology/Oncology
4. Averill Clarke, Senior Manager, Haematology/Oncology Clinic & Day Hospital
5. Heather Dalziel, RN, Quality Lead, Division of Paediatric Emergency Medicine
6. Jeremy Friedman, MD, Staff Paediatrician, Division of Paediatric Medicine
7. Melanie Kirby, MD, Staff Physician, Division of Haematology/Oncology
8. Lynn Mack, RN, Quality Analyst 7BCD
9. Mollie McConnell, NP, Nurse Practitioner, Division of Paediatric Medicine
10. Trent Mizzi, MD, Staff Paediatrician, Division of Paediatric Emergency Medicine
11. Jenny Moloney, Quality Lead, Haematology / Oncology / BMT
12. Olivia Ostrow, MD, Staff Paediatrician, Division of Paediatric Emergency Medicine
13. Lori Palozzi RN, NP, Nurse Practitioner, Acute Pain Service
14. Marina Strzelecki, Clinical Pharmacist

Revised (2019)

1. Melanie Kirby, MD, Staff Physician, Division of Haematology/Oncology
2. Carolyn Beck, MD, Staff Physician, Division of Paediatric Medicine
3. Olivia Ostrow, MD, Staff Physician, Division of Paediatric Emergency Medicine
4. Melina Cheong, NP, Nurse Practitioner, Division of Haematology/Oncology
5. Marcia Palmer, RN, Clinical Program Coordinator, Division of Haematology/Oncology
6. Marina Strzelecki, RPh, Clinical Pharmacy, Department of Pharmacy
7. Lorraine Bird, RN, Clinical Nurse Specialist, Department of Anaesthesia
8. Lynn Mack, RN, Quality Analyst, Paediatric Medicine Cluster
9. Fatma Rajwani, PT, Quality Analyst, Quality Management

	Document Scope: Hospital-wide Patient Care
	Document Type: Clinical Practice Guideline Approved on 2019-04-30 Next Review Date: 2021-04-29
	Acute Painful Episodes Vaso-occlusive Crisis : Guidelines for Management in Children with Sickle Cell Disease

References

1. Baskin MN, Goh XL, Heeney MM, Harper, MB. Bacteremia risk and outpatient management of febrile patients with sickle cell disease. *Pediatrics*. 2013;131(6):1035-1041.
2. Bellet PS, Kalinyak KA, Shukla R, Gelfand MJ, Rucknagel DL. Incentive spirometry to prevent acute pulmonary complications in sickle cell diseases. *N Engl J Med*. 1995;333(11):699-703.
3. Chang TP, Kriengsoontorkij W, Chan LS, Wang VJ. Predictors for bacteremia in febrile sickle cell disease children in the post-7-valent pneumococcal conjugate vaccine era. *Journal of Pediatric Hematology Oncology*. 2013;35 (5):377-382.
4. Griffen TC, McIntire D, Buchanan GR. High-dose intravenous methylprednisolone therapy for pain in children and adolescents with sickle cell disease. *N Engl J Med*. 1994;330(11):733-37.
5. Jacobson SJ, Kopecky EA, Joshi P, Babul N. Randomised trial of oral morphine for painful episodes of sickle-cell disease in children. *Lancet*. 1977;350:1358-61.
6. National Heart, Lung, and Blood Institute. Evidence-based management of sickle cell disease: Expert panel report, 2014. www.nhlbi.nih.gov/sites/www.nhlbi.nih.gov/files/sickle-cell-disease-report.pdf. Accessed on May 18, 2015
7. Reid CD, Charache S, Lubin B (eds). *Management and Therapy of Sickle Cell Disease, 3rd edition*. National Institutes of Health Publication No 95-2117, Bethesda, Maryland, 1995.
8. Robieux IC, Kellner JD, Coppes MJ, Shaw D, Brown E, Good C, O'Brodovich H, Manson D, Olivieri NF, Zipursky A, Koren G. Analgesia in children with sickle cell crisis: comparison of intermittent opioids vs. continuous intravenous infusion of morphine and placebo-controlled study of oxygen inhalation. *Pediatr Hematol Oncol*. 1992;9:317-26.
9. Savlov D, Beck CE, DeGroot, J, Odame I, Friedman JN. Predictors of bacteremia among children with sickle cell disease presenting with fever. *Pediatr Hematol Oncol*. 2014;36(5):384-388.
10. Shapiro B. The management of pain in sickle cell disease. *Pediatr Clin North Am*. 1989;36:1029-45

Related documents

- [Acute Chest Syndrome or Pneumonia: Guidelines for Management in Children with Sickle Cell Disease](#)
- [Pain Assessment Policy](#)
- [Pain Management Clinical Practice Guideline](#)
- [Sickle Cell Pain Day Hospital](#)

Attachments:

[discharge criteria.pdf](#)

[SCD pain plan_july 2015.pdf](#)

[care pathway_final.pdf](#)

[Revision History.docx](#)

[SC_clinic follow up.pdf](#)

This is a CONTROLLED document for internal use only. Any documents appearing in paper form are not controlled and should be checked against the electronic SharePoint version prior to use.

	Document Scope: Hospital-wide Patient Care	
	Document Type: Clinical Practice Guideline Approved on 2019-04-30 Next Review Date: 2021-04-29	
	Acute Painful Episodes Vaso-occlusive Crisis : Guidelines for Management in Children with Sickle Cell Disease	Version: 4

[ED medication management.pdf](#)

[inpatient management.pdf](#)

© 2012 The Hospital for Sick Children ('SickKids'). All Rights Reserved. This document may be reproduced or used strictly for non-commercial clinical purposes. However, by permitting such use, SickKids does not grant any broader license or waive any of its exclusive rights under copyright or otherwise at law; in particular, this document may not be used for publication without appropriate acknowledgement to SickKids. This Clinical Practice Guideline has been developed to guide the practice of clinicians at the Hospital for Sick Children. Use of this guideline in any setting must be subject to the clinical judgment of those responsible for providing care. SickKids does not accept responsibility for the application of this guideline outside SickKids.